



E.J. HANSEN 1-1 1/10



E.J. HANSEN 1-1 2/10

FIG. 2





E.J. HANSEN 1-1 3/10

FIG. 3A




FIG. 3B

GAUSSIAN FILTER LOOK-UP TABLE FOR 12.00 MHz BASEBAND CLOCK

SR VALUE	OUTPUT	SR VALUE	OUTPUT	SR VALUE	OUTPUT
FFFFF	1F	C0000	21	0FFFF	<b>1</b> D
FFFFE	1F	80000	20	1FFFF	<b>1</b> E
FFFFC	1E	00000	20	3FFFF	<b>1</b> E
FFFF8	1E	00001	20	7FFFF	<b>1</b> F
FFFF0	1D	00003	21	FE001	2B
FFFE0	18	00007	21	FC003	27
FFFC0	18	0000F	22	F8007	25
FFF80	14	0001F	24	F000F	24
FFF00	0E	0003F	27	E001F	25
FFE00	07	0007F	2B	C003F	27
FFC00	3F	000FF	31	8007F	2B
FF800	38	001FF	38	01FFE	14
FF000	31	003FF	3F	03FFC	18
FE000	2B	007FF	07	07FF8	<b>1</b> A
FC000	27	00FFF	0E	0FFF0	18
F8000	24	01FFF	14	1FFE0	<b>1</b> A
F0000	22	03FFF	18	3FFC0	18
E0000	21	07FFF	1B	7FF80	14

E.J. HANSEN 1-1 4/10

FIG.  $\it 3C$  Gaussian filter look-up table for 13.00 MHz baseband clock

SR VALUE	OUTPUT	SR VALUE	OUTPUT	SR VALUE	OUTPUT
FFFFF FFFFE FFFFE FFFFE FFFFE FFFFE FFFEO FFFEO FFFOO FFEOO FFEOO FEOO	1F 1E 1D 1C 1A 17 13 0D 07 3F 38 2C 28 22 23	C0000 80000 00000 00001 00003 00007 0000F 0001F 0007F 001FF 001FF 007FF 01FFF 01FFF	21 20 20 21 22 23 25 28 27 38 37 00 13 17	0FFFF 1FFFF 3FFFF 7FFFF FC001 F8003 F0007 E000F C001F 8003F 03FFE 07FFC 0FFF8 1FFF0 3FFE0	1C 1D 1E 1E 28 26 24 24 26 28 17 19 1B 1B 19



## E.J. HANSEN 1-1 **5/10**

## FIG. 4A






FIG. 4B







E.J. HANSEN 1-1 6/10




FIG. 6B
LOOK-UP TABLE OF SCALE VALUES

REFERENCE FREQUENCY, MHz         DEVIATION, Hz         SCALE VALUE (5 BIT)         TABLE ENTRY           12.00         155273         27         S0           12.80         153125         25         S1           13.00         155518         25         S2           15.36         153750         21         S3           16.80         159961         20         S4           19.20         154688         17         S5           19.44         156621         17         S5				
12.80       153125       25       \$1         13.00       155518       25       \$2         15.36       153750       21       \$3         16.80       159961       20       \$4         19.20       154688       17       \$5		DEVIATION. Hz		TABLE ENTRY
19.68 158555 17 S7 19.80 159521 17 S8 26.00 158691 13 S9	12.80 13.00 15.36 16.80 19.20 19.44 19.68 19.80	153125 155518 153750 159961 154688 156621 158555 159521	25 25 21 20 17 17 17	S1 S2 S3 S4 S5 S6 S7 S8



E.J. HANSEN 1-1 7/10





FIG. 7C
LOOK-UP TABLE FOR CARRIER CALCULATION

REFERENCE	LUTCC	VALUE
FREQUENCY, MHz	DECIMAL	HEX
12.00	349525	55555
12.80	327680	50000
13.00	322638	4EC4E
15.36	273066	42AAA
16.80	249660	3CF3C
19.20	218453	35555
19.44	215756	34ACC
19.68	213125	34085
19.80	211833	33879
26.00	161319	27627



E.J. HANSEN 1-1 **8/10** 


FIG. 7B





E.J. HANSEN 1-1 **9/10** 

FIG. 8





E.J. HANSEN 1-1

10/10

